

# LASER CLASS 810 Fax Machine

## PRODUCT SPECIFICATIONS

Title LASER CLASS 810

Type Desktop Transceiver

Applicable Line Public Switched Telephone Network\*\*

Automatic Document Feeder

Letter Sized Sheets Up to 50 Sheets\*  
Up to 20 Sheets

Scanning Method Contact Image Sensor Duplexing Automatic

Document Sizes

Maximum 8-7/8" x 24-7/8"

Minimum 5-7/8" x 5-7/8"

### Paper Supply

Standard: 600 Sheets: 1 x 500-Sheet Adjustable Cassette  
100-Sheet MultiPurpose Tray

Maximum: 1,100 Sheets with Optional 500-Sheet Cassette  
(Letter)

Acceptable Paper Weight: 17 lb. - 24 lb. Bond (Cassette)  
15 lb. - 34 lb. Bond (MultiPurpose Tray)

# LASER CLASS 810 Fax Machine

Data Compression System	MH, MR, MMR, JBIG
Modem Speed	33.6 Kbps Super G3
Transmission Speed	Approx. 3 Sec./Page (ECM-JBIG, Transmitting from Memory)*** Memory Transmission/Reception: Approx. 512 Pages (1,500 with Opt. Printer Kit)***

---

## RECEIVING RESOLUTION

Ultra Fine Mode

Ultra Fine

400 X 400 dpi

Super Fine Mode

Super Fine

200 x 400 dpi

Fine Mode

Fine Mode

200 x 200 dpi

Standard Mode

Standard Mode

200 x 100 dpi

Receiving Paper Tray



# LASER CLASS 810 Fax Machine

Output	100 Sheets
Recording Paper Size	Letter/Legal <b>Duplex:</b> Std. Scan and Print <b>Fixing System:</b> RAPID Fusing System <b>Warm-Up Time:</b> 19 seconds from Power On
Cartridge Yield	Approx. 4,500 Pages (At 5% Coverage) Toner Cartridge: FX11 Cartridge
Power Consumption	
Standby	1020W Sleep: Approx. 3.0W (3.5W with Printer Kit) Max.: 1020W Power Source: 120V-127V 50/60Hz Memory Backup: Up to 3 Hours
Dimensions (excluding handset)	Main Unit: 17-3/4" x 20-1/2" x 19" With Cassette: 22-7/8" x 20-1/2" x 19" Installation Space (W x D): 43-1/4" x 38-3/4" (Including Optional Handset)
Weight (excluding handset)	54.2 lb.
Environmental Conditions	
Temperature	59F - 86F (15C - 30C)
Humidity	10% - 80% RH

## FEATURES

Dialing

One Touch Speed Dialing                      80 Destinations

Coded Speed Dialing                            120 Destinations

Group Dialing

Group Dialing                                    199 Destinations  
Address Book Dialing  
Manual Dialing (Numeric Keys)  
Automatic Re-Dialing  
Manual Re-Dialing (Redial/Pause Key)

Polling Reception

Sequential Broadcast                          201 Destinations

Options

### **Additional Fax Features:**

- Remote RX
- Delayed TX
- Dual Access
- TX Document Archiving
- Reception Restriction
- Memory Lock Reception
- Confirming Entered Fax Numbers
- Restricting New Addresses
- PC Faxing

Options

### **COPY FEATURE**

Type: Monochrome Laser

Copy Speed: Up to 23 Pages/Min. (Letter)

# LASER CLASS 810 Fax Machine

Max. Number of Copies: 99  
Scan Resolution: 600 x 600 dpi  
Copy Resolution: 1200 x 600 dpi (Enhanced)  
Halftones: 256 Shades of Gray  
First-Copy Time: Less Than 13 Seconds  
Duplex Function: Yes (Letter-R/Legal)  
Copy Features: Electronic Sort  
Copy Memory (Shared): 64MB

## Options

### PRINT FEATURES

Print Speed: Up to 23 Pages/Min. (Letter)  
Supported PDL: Opt. UFR II LT  
Interface: 10/100Base-TX, USB Hi-Speed 2.0  
Print Resolution: 1200 x 600 dpi (Enhanced)  
Duplex Function: Yes  
Print Memory (Shared): 64MB  
Network OS: Windows 98/Me/2000/Server  
2003/XP/Windows Vista/Macintosh OSX (10.2.8 - 10.4.6)

## Options

- FLX-Cassette Feeder 8 (500 Sheets)
- UFR II LT Printer Kit-X1 (LC810 Only)
- Handset Kit-10
- Stamp Unit-C1
- Stamp Ink Cartridge-B1
- FX11 Cartridge
- Cabinet-V1

## Legal

\* 21 lb. Bond.  
\*\* The Public Switched Telephone Network (PSTN) currently supports 28.8 Kbps modem speed or lower, depending on telephone line conditions.  
\*\*\* Based on ITU No. 1 Chart (JBIG, Standard Mode).  
^ Only one broadcast destination can be specified using the numeric keys.  
^^ Standard on LASER CLASS 830i; optional on LASER CLASS 810.  
^^^ Only available for UFR II LT.



# LASER CLASS 810 Fax Machine

