

## PRODUCT SPECIFICATIONS

### Model Name

*imagePRESS 1135+*

### Imaging System

*Laser Electrostatic Transfer System*

### Printing Resolution

*Up to 1200 x 1200 dpi*

### Halftone

*256-Level Grayscale*

### Letter

*Simplex: 125*

*Duplex/Perfect: 62*

### Ledger

*Simplex: 74*

*Duplex/Perfect: 37*

### Maximum Original Size

*13 x 19.2*

### Standard Paper Capacity

*2,000 Sheets (20 lb. Bond)*

### Acceptable Paper Weights

**Cassette**

# imagePRESS 1135+

*Uncoated: 14 lb. Bond to 110 lb. Bond Cover*

*Coated: 24 lb. Bond to 90 lb. Cover*

## **Duplexing**

*Automatic Duplex/Perfect*

*Any Supported Stock*

## **Power Requirements**

*208V/30A+208V/15A*

## **Dimension**

*(H x W x D): 54.12 x 54.62 x 31.87*

## **Weight**

*1,103 lb.*

## **Supplies**

### **Estimated Toner Yield**

*69,000 impressions at 6% coverage (LTR pgs)*

## **Accessories**

### **Feeders**

### **Description**

*Color Image Reader-L1 (Opt.) (Includes DADF (Duplex Automatic Document Feeder))*

### **Acceptable Originals**

*Statement to 11 x 17*

*Resolution: Up to 600 x 600 dpi, 256 Gradations*

### **Scanning Speed**

*B/W: Up to 200 ipm (300 dpi)*

*Up to 120 ipm (600 dpi)*

# imagePRESS 1135+

*Color: Up to 80 ipm (300 dpi)*

*Up to 40 ipm (600 dpi)\**

## Capacity

*300 sheets (20 lb. Bond)*

## Paper Weights

*14 lb. Bond to 120 lb. Index*

## Power Source

*From Main Unit*

## Dimensions

*(H x W x D): 7.12 x 23.25 x 25*

## Weight

*81.6 lb.*

## Paper Supply Options

### Description

*POD Deck-C1 (Std.)*

### Paper Capacity

*4,000 Sheets (1,000 x 2 + 2,000) (20 lb. Bond)*

### Paper Sizes

*13 x 19.2*

### Paper Weights

*Uncoated: 14 lb. Bond to 110 lb. Bond Cover (All Trays)*

*Coated: 24 lb. Bond to 90 lb. Cover (All Trays)*

### Power Source

*120-127VAC, 60Hz, 15A*

**Dimensions**

43.12 x 29.37 x 31.25

**Weight**

499 lb.

**Description**

*POD Deck-C1 and Secondary POD Deck-C1 (Opt.)\*\*\**

**Paper Capacity**

*4,000 Sheets (1,000 x 2 + 2,000) (20 lb. Bond)*

**Paper Sizes**

*13 x 19.2*

**Paper Weights**

*Uncoated: 14 lb. Bond to 110 lb. Bond Cover (All Trays)*

*Coated: 24 lb. Bond to 90 lb. Cover (All Trays)*

**Power Source**

*120-127VAC, 60Hz, 15A x (2)*

**Dimensions**

43.12 x 61.5 x 31.25

**Weight**

997 lb.

**Description**

*POD Deck-C1 & Sec. POD Deck-C1 (2) (Opt) \*\*\**

**Paper Capacity**

*4,000 Sheets (1,000 x 2 + 2,000) (20 lb. Bond)*

**Paper Sizes**

# imagePRESS 1135+

13 x 19.2

## Paper Weights

*Uncoated: 14 lb. Bond to 110 lb. Bond Cover (All Trays)*

*Coated: 24 lb. Bond to 90 lb. Cover (All Trays)*

## Dimensions

43.12 x 93.62 x 31.25

## Weight

1,495 lb.}

## Output Options

### Finishers Output Trays

## Description

*Finisher-AF1/Saddle Finisher-AF2 (Opt.)*

## Paper Weights

*Finisher: 14 lb. Bond to 110 lb. Cover*

*Saddle Finisher: 14 lb. Bond to 110 lb. Cover*

## Paper Size

*Stapling: Executive, Letter-R, Letter, Legal, 11 x 17*

*Sheet Stacking: Up to 13 x 19.2*

*Saddle Finisher: Letter-R, Legal, 11 x 17, 12 x 18, 13 x 19*

## Number Of Trays

2/3

## Top Tray

*Up to 3,000 Sheets (20 lb. Bond)*

## Lower Tray

# imagePRESS 1135+

*2,000 (20 lb. Bond)*

## **Saddle Stitch Tray**

*30 Booklets or Limitless*

## **Staple Positions**

*Corner-Stapling, Double-Stapling*

## **Stapling Capacity**

*Up to 100 Sheets (LTR)*

*Max. Booklet Stapling Capacity: Up to 25 Sheets Saddle-Stitched (20 lb. only)*

## **Power Source**

*120V/15A*

## **Dimensions**

*46.5 x 31.25 x 35.37*

## **Weight**

*Finisher: 287 lb.*

*Saddle Finisher: 396 lb. Puncher Unit-BB1 (Option for Finisher-AF1/Saddle Finisher-AF2)*

*Acceptable Paper Weight: 14 lb. Bond to 73 lb. Cover*

## **Paper Sizes**

*2-Hole: Legal, Letter-R*

*3-Hole: 11 x 17, Letter, EXE*

*Punch Speed: Up to 135 ppm (Depends on Speed of Marking Engine)*

*Weight: 6.7 lb.*

*Power Source: From Finisher High-Capacity Stacker-E1 (Opt.)♦♦*

*Offset Stack Capacity: 10,000 Sheets (Letter) (20 lb. Bond)*

*Top Tray Capacity: 1,000 Sheets (20 lb. Bond)*

*Maximum Paper Size: 13 x 19.2*

*Acceptable Paper Weight: 14 lb. Bond to 110 lb. Cover*

*Number of Units Connected at Once: Up to 2*

# imagePRESS 1135+

*Dimensions (H x W x D): 53.62 x 39.25 x 31.25*

*Weight: 463 lb.*

*Power Source: 120V/15ATwo-Knife Trimmer-A1 (Opt.)*

*Margin Trimming: Top and Bottom Trim*

*Trim Amount: 0.08 to 0.59*

*Trim Thickness: 100 Sheets*

*Waste Tray Capacity: 750 Sheets (Two-Sided Trimmed)*

*Acceptable Paper Weight: 14 lb. Bond to 110 lb. Cover*

*Output Tray Capacity: 30 Booklets*

*Dimensions (H x W x D): 21.12 x 30.37 x 41*

*Weight: 319 lb.*

*Power Source: 120V/15A*

## **Booklet Trimmers**

### **Description**

*Booklet Trimmer-D1 (Opt.)*

### **Sheet Capacity**

*Waste Tray Capacity: 1,500 Sheets (With 0.78 Trim, 20 lb. Bond)*

*Margin Trimming: Fore-Edge Trim*

*Trim Amount: 0.08 to 0.78*

*Trim Thickness: 100 Sheets*

*Acceptable Paper Weight: 14 lb. Bond to 110 lb. Cover*

*Output Tray Capacity: 30 Booklets*

*Dimensions (H x W x D): 41 x 62 x 30.37*

*Weight: 335 lb.*

*Power Source: From Saddle FinisherPerfect Binder-C1 (Opt.)*

*Cutting Method: Stack Rotation 3-Direction or 1-Direction Cut*

*Finished Book Size*

*Width: 8 to 11.62*

*Length: 5.37 to 8.5*

*Body Paper Weight: 14 lb. Bond to 90 lb. Index*

*Cover Weight: 24 lb. Bond to 110 lb. Cover*

# imagePRESS 1135+

*Book Thickness: 10 to 200 Sheets*

*Glue Warm-Up Time: 440 Seconds*

*Trim Range: Adjustable in .0197 (0.5mm) Increments*

*Side: 0.26 to 1.94*

*Top and Bottom: 0.52 to 3.11*

*Dimensions (H x W x D): 51.25 x 36.97 x 31.12*

*Weight: 674.6 lb.*

*Power Source: 208V/15A*

## **Document Inserters**

### **Description**

*Multi-Drawer Document Insertion Unit-A1 (Opt.)*

### **Paper Weight**

*14 lb. Bond to 110 lb. Cover*

### **Paper Sizes**

*13 x 19.2*

### **Feeder Capacity**

*4,000 Sheets (1,000 x 2 + 2,000) (20 lb. Bond)*

*Dimensions (H x W x D): 43.12 x 42.5 x 31.25*

*Weight: 554 lb.*

*Power Source: 120V/15A Professional Puncher and Integration Unit-B1 (Opt.)*

*Paper Size: Letter, Tab*

*Supported Media Weights: 20 lb. Bond to 80 lb. Cover*

*Productivity: Up to 135 ppm (Depends on Speed of Marking Engine)*

*Chip Tray Capacity: 25,000 Sheets*

*Punch Patterns: 3H, 5H, Velo Bind 11H, Plastic Comb, 19H, Twin Loop  
21H/32H, ProClick 32H, Color Coil 44H*

*Power Source: 120V/15A*

*Dimensions (H x W x D): 41 x 22.5 x 31.25*

*Weight: 258.5 lb.*



## Paper Folding

### Description

*Paper Folding Unit-F1 (Opt.)◆◆◆*

### Fold Type

*Z-fold: 11 x 17, Legal, Letter-R*

*C/V/Accordian Fold: Letter-R*

*Double Parallel Fold: Letter-R, Legal*

*Supported Media Weights: 14 lb. Bond to 28 lb. Bond*

*Power Source: From Finisher*

*Dimensions (H x W x D): 46.87 x 13.25 x 31.25*

*Weight: 157 lb.\* System Upgrade RAM-B1 required for 600 dpi color scanning*

*\*\* Combined weight of the POD Deck-C1 and Secondary POD Deck-C1*

*\*\*\* Requires either the imagePRESS 1135+ or the imagePRESS 1125+ to connect three (3) POD Decks. Combined weight of the POD Deck-C1 and Secondary POD.*

*} Deck-C1 (2)*

*◆ 890mm when the extension tray is pulled out for Saddle Finisher-AF1.*

*1060mm when the extension tray is pulled out for Saddle Finisher-AF2.*

*◆◆ Only one additional High Capacity Stacker-E1 attaches to the imagePRESS 1110P.*

*◆◆◆ Requires either the Finisher-AF1 or the Saddle Finisher-AF2.*