

imageFORMULA ScanFront 300/300P CAC/PIV

PRODUCT SPECIFICATIONS

Model Name

ScanFront 300 CAC/PIV

Type

Compact Network Scanner

Document Feeding

Automatic or Manual

Document Size Width

2 - 8.5

Document Size Length

2.1 - 14

Document Weight: 14-57 lb. Bond

Feeder Capacity

50 Sheets

Grayscale

8-bit

Color

24-bit

Scanning Element

CIS Sensor

Light Source

RGB LED

Operating Modes

Color, Grayscale, Black & White

Drop Out Color

imageFORMULA ScanFront 300/300P CAC/PIV

Red, Green, Blue

Optical Resolution

600 dpi

Output Resolution

100 / 150 / 200 / 300 / 400 / 600 dpi

Scanning Speeds

Black And White High Speed

(Simplex / Duplex):* 30ppm / 60ipm

Grayscale

(Simplex / Duplex):* 30ppm / 60ipm

Color 24 Bit

(Simplex / Duplex):* 25ppm / 43ipm

Interface

LAN 10 Base-T/100 Base-TX, USB 2.0 x 4

Operation Panel: 8.4 SVGA TFT Liquid Crystal Display with Touch-Panel

Dimensions

6.3 x 12.2 x 8.7

Weight

7.9 lb.

Power Consumption

30W or Less**

Suggested Daily Volume: Approx. 2,000 Scans***

Other Features

Auto Color Detection, Auto Page Size Detection, Bleed-through Removal, Color Dropout/Enhance (RGB), Error Diffusion, Long Document Mode, Text Enhancement, Text Orientation Recognition, Rated EPEAT Bronze Bundled Software: ScanFront Administration Tool, ScanFront ServiceNetwork Functions: Scan-To-E-mail (SMTP, Microsoft Exchange, Lotus Notes); Scan-To-Fax (SMTP-via Internet fax service only, Microsoft Exchange, Lotus

imageFORMULA ScanFront 300/300P CAC/PIV

Notes); Scan-To-Folder; Scan-To-Print; Scan-To-FTP; Scan-To-USB DriveSupported Card Readers (sold separately): SCR331/3310/3311 (SCM or Identive Infrastructure)Supported CAC / PIV Cards: Oberthur ID One V5.2a Dual, Gemalto GCX4 72K DI, Gemalto TOP DL GX4 144K, Oberthur ID One 128 v5.5 Dual, Oberthur PIV End Point v. 1.08, Oberthur ID-ONE PIV v2.3.1

Options

Exchange Roller Kit, eCarePAK Exchange Service* Examples based on typical settings, rated in pages/images per minute with letter-sized documents, portrait-feeding direction, up to 200 dpi.

** Examples based on typical settings, rated in pages/images per minute.